

# Safety Data Sheet

## 1. Identification

### 1.1. Product identifier

Code: A472/USA  
 Product name: Brakes cleaner  
 Chemical name and synonym: Cleaner

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cat. General Purpose cleaner 8%

| Identified Uses  | Industrial | Professional | Consumer |
|------------------|------------|--------------|----------|
| Industrial Use   | ✓          | -            | -        |
| Professional Use | -          | ✓            | -        |

### 1.3. Details of the supplier of the safety data sheet

Name: AMBRO-SOL S.R.L.  
 Full address: Via per Pavone del Mella n.21  
 District and Country: 25020 Cigole (BS)  
 Italia

Tel. +39 030 9959674

Fax +39 030 959265

e-mail address of the competent person  
 responsible for the Safety Data Sheet

quality@ambro-sol.com

### 1.4. Emergency telephone number

For urgent inquiries refer to

American Association of Poison Control Centers: +1 (800) 222-1222

## 2. Hazards identification

**Note:** This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement

Hazard pictograms:

Aerosol, category 1

Extremely flammable aerosol.

Pressurised gas

Contains gas under pressure; may burst if heated.

Eye irritation, category 2

Causes serious eye irritation.

Specific target organ toxicity - single exposure, category 3

May cause drowsiness or dizziness.



Signal words:

Danger

Hazard statements:

- H222** Extremely flammable aerosol.
- H280** Contains gas under pressure; may burst if heated.
- H319** Causes serious eye irritation.
- H336** May cause drowsiness or dizziness.

Precautionary statements:

Prevention:

- P210** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211** Do not spray on an open flame or other ignition source.
- P251** Do not pierce or burn, even after use.
- P261** Avoid breathing dust / fume / gas / mist / vapours / spray.
- P280** Wear eye protection / face protection.
- P271** Use only outdoors or in a well-ventilated area.
- P264** Wash . . . thoroughly after handling.

Response:

- P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312** Call a POISON CENTER / doctor / . . . / if you feel unwell.
- P337+P313** If eye irritation persists: Get medical advice / attention.
- P304+P340** IF INHALED: remove person to fresh air and keep comfortable for breathing.

Storage:

- P410+P412** Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.
- P410+P403** Protect from sunlight. Store in a well-ventilated place.
- P403+P233** Store in a well-ventilated place. Keep container tightly closed.
- P405** Store locked up.

Disposal:

- P501** Dispose of contents / container in compliance with current regulations.

**2.2. Other hazards**

Environmental classification as for Reg. (EU) 1272/2008 (CLP):

The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

Classification and Hazard Statement

Hazardous to the aquatic environment, chronic toxicity, category 3

Harmful to aquatic life with long lasting effects.

Hazard statements:

- H412** Harmful to aquatic life with long lasting effects.

Precautionary statements:

Prevention:

**P273** Avoid release to the environment.

Response:

--

Storage:

--

Disposal:

**P501** Dispose of contents / container to . . .

Additional hazards

**Repeated exposure may cause skin dryness or cracking.**

### 3. Composition/information on ingredients

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

| Identification                      | Conc. % | Classification:   |
|-------------------------------------|---------|---|
| <b>ACETONE</b>                      |         |   |
| CAS 67-64-1                         | 88.47   | Flammable liquid, category 2 H225, Eye irritation, category 2 H319, Specific target organ toxicity - single exposure, category 3 H336   |
| EC 200-662-2                        |         |   |
| INDEX 606-001-00-8                  |         |   |
| <b>Hydrocarbons, C6, isoalkanes</b> |         |   |
| CAS 64742-49-0                      | 7.34    | Flammable liquid, category 2 H225, Aspiration hazard, category 1 H304, Skin irritation, category 2 H315, Specific target organ toxicity - single exposure, category 3 H336, Hazardous to the aquatic environment, chronic toxicity, category 2 H411 |
| EC 265-151-9                        |         |   |
| INDEX 649-328-00-1                  |         |   |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.

Percentage of propellants: 4.19 %

### 4. First-aid measures

#### 4.1. Description of first aid measures

**EYES:** Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

**SKIN:** Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

**INHALATION:** Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

**INGESTION:** Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

##### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

##### UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

##### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

#### 5.3. Advice for firefighters

##### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

##### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

#### 6.2. Environmental precautions

Do not disperse in the environment.

#### 6.3. Methods and material for containment and cleaning up

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

### 7.3. Specific end use(s)

Information not available

## 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory References:

|     |              |   |
|-----|--------------|---|
| USA | NIOSH-REL    | NIOSH publication No. 2005-149, 3th printing, 2007.   |
| USA | OSHA-PEL     | Occupational Exposure Limits - Limits for Air Contaminants TABLE Z-1-1910.1000.   |
| USA | CAL/OSHA-PEL | California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs).  |
| EU  | OEL EU       | Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC. |
|     | TLV-ACGIH    | ACGIH 2018  |

### ACETONE

#### Threshold Limit Value

| Type      | Country | TWA/8h |      | STEL/15min |          |
|-----------|---------|--------|------|------------|----------|
|           |         | mg/m3  | ppm  | mg/m3      | ppm      |
| TLV-ACGIH | -       | 250    |      | 500        |          |
| OEL       | EU      | 1210   | 500  |            |          |
| OSHA      | USA     | 2400   | 1000 |            |          |
| CAL/OSHA  | USA     | 1200   | 500  | 1780 (C)   | 3000 (C) |
| NIOSH     | USA     | 590    | 250  |            |          |

### Hydrocarbons, C6, isoalkanes

#### Threshold Limit Value

| Type | Country | TWA/8h |     | STEL/15min |     |
|------|---------|--------|-----|------------|-----|
|      |         | mg/m3  | ppm | mg/m3      | ppm |
| OEL  | EU      | 0      | 0   | 72         | 0   |

### CARBON DIOXIDE

#### Threshold Limit Value

| Type      | Country | TWA/8h |      | STEL/15min |       |
|-----------|---------|--------|------|------------|-------|
|           |         | mg/m3  | ppm  | mg/m3      | ppm   |
| TLV-ACGIH | -       | 9000   | 5000 | 54000      | 30000 |
| OEL       | EU      | 9000   | 5000 |            |       |

# AMBRO-SOL

Revision nr. 1

Dated 3/22/2019

## A472/USA - Brakes Cleaner

Printed on 3/22/2019

Page n. 6/15

|          |     |      |      |       |       |
|----------|-----|------|------|-------|-------|
| OSHA     | USA | 9000 | 5000 |       |       |
| CAL/OSHA | USA | 9    | 5    | 54    | 30    |
| NIOSH    | USA | 9000 | 5000 | 54000 | 30000 |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

TLV of solvent mixture: 250 mg/m3

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

#### HAND PROTECTION

None required.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a NIOSH certified combined filter should be worn (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                  |                           |
|----------------------------------|---------------------------|
| Appearance                       | aerosol                   |
| Colour                           | colourless                |
| Odour                            | characteristic of solvent |
| Odour threshold                  | Not available             |
| pH                               | Not available             |
| Melting point / freezing point   | Not available             |
| Initial boiling point            | Not available             |
| Boiling range                    | Not available             |
| Flash point                      | < 0 °C                    |
| Evaporation Rate                 | Not available             |
| Flammability of solids and gases | liquid flammable          |
| Lower inflammability limit       | Not available             |
| Upper inflammability limit       | Not available             |

|  |                       |
|--|-----------------------|
| Lower explosive limit                  | Not available         |
| Upper explosive limit                  | Not available         |
| Vapour pressure                        | 2657.98               |
| Vapour density                         | Not available         |
| Relative density                       | 20°C 0,61 ÷ 0,65 g/ml |
| Solubility                             | insoluble in water    |
| Partition coefficient: n-octanol/water | Not available         |
| Auto-ignition temperature              | Not available         |
| Decomposition temperature              | Not available         |
| Viscosity                              | Not available         |
| Explosive properties                   | not applicable        |
| Oxidising properties                   | not applicable        |

## 9.2. Other information

|                  |        |
|------------------|--------|
| Molecular weight | 61.448 |
| VOC :            | 7,34 % |

## 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### ACETONE

Risk of explosion on contact with: bromine trifluoride, fluorine dioxide, hydrogen peroxide, nitrosyl chloride, 2-methyl-1,3 butadiene, nitromethane, nitrosyl perchlorate. May react dangerously with: potassium tert-butoxide, alkaline hydroxides, bromine, bromoform, isoprene, sodium, sulphur dioxide, chromium trioxide, chromyl chloride, nitric acid, chloroform, peroxymonosulphuric acid, phosphoryl oxychloride, chromosulphuric acid, fluorine, strong oxidising agents, strong reducing agents. Develops flammable gas on contact with: nitrosyl perchlorate.

### 10.4. Conditions to avoid

Avoid overheating.

#### ACETONE

Avoid exposure to: sources of heat, naked flames.

### 10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

#### ACETONE

Incompatible with: acids, oxidising substances.

## 10.6. Hazardous decomposition products

ACETONE

May develop: ketenes, irritant substances.

## 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1. Information on toxicological effects

#### Metabolism, toxicokinetics, mechanism of action and other information

Information not available

#### Information on likely routes of exposure

Information not available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

#### Interactive effects

Information not available

#### ACUTE TOXICITY

Hydrocarbons, C6, isoalkanes

LD50 (Oral) 3790 mg/kg bw rat

LD50 (Dermal) 3500 mg/kg bw rabbit

LC50 (Inhalation) 34.73 mg/l/4h air (rat)

#### SKIN CORROSION / IRRITATION

Repeated exposure may cause skin dryness or cracking.  
Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation



RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

Carcinogenicity Assessment:

67-64-1ACETONE

ACGIH.: A4

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause drowsiness or dizziness

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

### 12.1. Toxicity

Hydrocarbons, C6, isoalkanes

LC50 - for Fish 8.41 mg/l/96h

EC50 - for Crustacea 4.7 mg/l/48h

EC50 - for Algae / Aquatic Plants 15.65 mg/l/72h

Chronic NOEC for Algae / Aquatic Plants 6.47 mg/l

### 12.2. Persistence and degradability

ACETONE

Rapidly degradable

Hydrocarbons, C6, isoalkanes

Rapidly degradable

### 12.3. Bioaccumulative potential

ACETONE

Partition coefficient: n-octanol/water -0.23

BCF 3

### 12.4. Mobility in soil

Hydrocarbons, C6, isoalkanes

Partition coefficient: soil/water 1.78

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects

Information not available

## 13. Disposal considerations

### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA).

Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Do not puncture or incinerate containers, even empty. Do not allow to enter waterways, wastewater, soil, storm drains or sewer systems. Dispose of in accordance with Federal, State/Provincial, and Local regulations regarding pollution.

## 14. Transport information

### 14.1. UN number

ADR / RID, IMDG, 1950

IATA:

### 14.2. UN proper shipping name

ADR / RID: AEROSOLS

IMDG: AEROSOLS

IATA: AEROSOLS, FLAMMABLE

### 14.3. Transport hazard class(es)

**AMBRO-SOL**

Revision nr. 1

Dated 3/22/2019

**A472/USA - Brakes Cleaner**

Printed on 3/22/2019

Page n. 11/15

ADR / RID: Class: 2 Label: 2.1



IMDG: Class: 2 Label: 2.1



IATA: Class: 2 Label: 2.1

**14.4. Packing group**

ADR / RID, IMDG, IATA: -

**14.5. Environmental hazards**ADR / RID: NO  
IMDG: NO  
IATA: NO**14.6. Special precautions for user**

|            |                                       |                          |                              |
|------------|---------------------------------------|--------------------------|------------------------------|
| ADR / RID: | HIN - Kemler: --                      | Limited Quantities: 1 L  | Tunnel restriction code: (D) |
| IMDG:      | Special Provision: -<br>EMS: F-D, S-U | Limited Quantities: 1 L  |                              |
| IATA:      | Cargo:                                | Maximum quantity: 150 Kg | Packaging instructions: 203  |
|            | Pass.:                                | Maximum quantity: 75 Kg  | Packaging instructions: 203  |
|            | Special Instructions:                 | A145, A167, A802         |                              |

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Information not relevant

**15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**U.S. Federal RegulationsTSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.

**AMBRO-SOL**

Revision nr. 1

Dated 3/22/2019

**A472/USA - Brakes Cleaner**

Printed on 3/22/2019

Page n. 12/15

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

Clean Water Act –  
Priority Pollutants:

No component(s) listed.

Clean Water Act –  
Toxic Pollutants:

No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):

No component(s) listed.

DEA List II Chemicals (Essential Chemicals):

67-64-1 ACETONE

EPA List of Lists:

## 313 Category Code:

No component(s) listed.

## EPCRA 302 EHS TPQ:

No component(s) listed.

## EPCRA 304 EHS RQ:

No component(s) listed.

## CERCLA RQ:

67-64-1 ACETONE

## EPCRA 313 TRI:

No component(s) listed.

## RCRA Code:

67-64-1 ACETONE

## CAA 112 (r) RMP TQ:

No component(s) listed.

State RegulationsMassachussetts:

67-64-1 ACETONE  
124-38-9 CARBON DIOXIDE

Minnesota:

67-64-1 ACETONE  
124-38-9 CARBON DIOXIDE

New Jersey:

67-64-1 ACETONE  
124-38-9 CARBON DIOXIDE

New York:

67-64-1 ACETONE

Pennsylvania:

67-64-1 ACETONE  
124-38-9 CARBON DIOXIDE

California:

67-64-1 ACETONE  
124-38-9 CARBON DIOXIDE

Proposition 65:International RegulationsSubstances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Candadian WHMIS

Information not available

**16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

**H222** Extremely flammable aerosol.

## A472/USA - Brakes Cleaner

|             |   |
|-------------|---|
| <b>H225</b> | Highly flammable liquid and vapour.               |
| <b>H280</b> | Contains gas under pressure; may burst if heated. |
| <b>H304</b> | May be fatal if swallowed and enters airways.     |
| <b>H319</b> | Causes serious eye irritation.                    |
| <b>H315</b> | Causes skin irritation.                           |
| <b>H336</b> | May cause drowsiness or dizziness.                |
| <b>H411</b> | Toxic to aquatic life with long lasting effects.  |

## LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 @ RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112@)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

## GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh - Registry of Toxic Effects of Chemical Substances
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Communication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112@ of the Clean Air Act
- Massachusetts 105 CMR Department of public health 670.000: "Right to Know"
- Minnesota Chapter 5206 Department Of Labor and Industry Hazardous Substances, Employee "Right to Know".

**AMBRO-SOL**

Revision nr. 1

Dated 3/22/2019

**A472/USA - Brakes Cleaner**

Printed on 3/22/2019

Page n. 15/15

- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

**Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.