G007/USA - PTFE Grease

Revision nr. 1

Dated 4/26/2019

Printed on 4/26/2019

Page n. 1/13

# **Safety Data Sheet**

#### 1. Identification

1.1. Product identifier

Code: G007/USA
Product name PTFE grease
Chemical name and synonym Teflon ®Lubricant

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Anti Seize Lubricant aerosol 40%

| Identified Uses  | Industrial | Professional | Consumer |
|------------------|------------|--------------|----------|
| Industrial Use   |            | -            | -        |
| Professional Use | <u>.</u>   | ~            | -        |

# 1.3. Details of the supplier of the safety data sheet

Name AMBRO-SOL S.R.L.

Full address Via per Pavone del Mella n.21

District and Country 25020 Cigole (BS)

Italia

Tel. +39 030 9959674 Fax +39 030 959265

e-mail address of the competent person

responsible for the Safety Data Sheet quality@ambro-sol.com

#### 1.4. Emergency telephone number

For urgent inquiries refer to

American Association of Poison Control Centers: +1 (800) 222-1222

### 2. Hazards identification

Note: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

# 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement

Hazard pictograms:

Aerosol, category 1 Extremely flammable aerosol.

Pressurised gas Contains gas under

Contains gas under pressure; may burst if

heated.

Revision nr. 1

Dated 4/26/2019

Printed on 4/26/2019

Page n. 2/13

# G007/USA - PTFE Grease

Aspiration hazard, category 1

May be fatal if swallowed and enters airways.





Signal words: Danger

Hazard statements:

**H222** Extremely flammable aerosol.

H280 Contains gas under pressure; may burst if heated.H304 May be fatal if swallowed and enters airways.

Precautionary statements:

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**P211** Do not spray on an open flame or other ignition source.

**P251** Do not pierce or burn, even after use.

Response:

Storage:

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

Disposal:

--

#### 2.2. Other hazards

Information not available

# 3. Composition/information on ingredients

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification Conc. % Classification:

Hydrocarbons, C12-C15, nalkanes, isoalkanes < 2% aromatics (LVP solv.)

CAS - 32.59 Aspiration hazard, category 1 H304

EC 920-107-4 INDEX -

**PROPANE** 

# AMBRO-SOL S.R.L. | Revision nr. 1 | | Dated 4/26/2019 | | Printed on 4/26/2019 | | Page n. 3/13

CAS 74-98-6 21.72 Flammable gas, category 1 H220, Liquefied gas H280

EC 200-827-9

INDEX 601-003-00-5

**BUTANE** 

CAS 106-97-8 9.31 Flammable gas, category 1 H220, Liquefied gas H280

EC 203-448-7

INDEX 601-004-00-0

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.

Percentage of propellants: 31.03 %

# 4. First-aid measures

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

## 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

# 5. Fire-fighting measures

# 5.1. Extinguishing media

# SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

# 5.3. Advice for firefighters

# GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

# AMBRO-SOL S.R.L. Revision nr. 1 Dated 4/26/2019 Printed on 4/26/2019 Page n. 4/13

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

#### 6.2. Environmental precautions

Do not disperse in the environment.

#### 6.3. Methods and material for containment and cleaning up

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# 7. Handling and storage

## 7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

#### 7.3. Specific end use(s)

Information not available

# 8. Exposure controls/personal protection

#### 8.1. Control parameters

Regulatory References:

USA NIOSH-REL NIOSH publication No. 2005-149, 3th printing, 2007.

USA OSHA-PEL Occupational Exposure Limits - Limits for Air Contaminants TABLE Z-1-1910.1000.

USA CAL/OSHA-PEL California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs).

TLV-ACGIH ACGIH 2018

# **PROPANE**

# Threshold Limit Value

Revision nr. 1

Dated 4/26/2019

Printed on 4/26/2019

Page n. 5/13

| G007/U | SA - | PTFE | Grease |
|--------|------|------|--------|
|--------|------|------|--------|

| Туре      | Country | TWA/8h |      | STEL/15min | STEL/15min |  |  |
|-----------|---------|--------|------|------------|------------|--|--|
|           |         | mg/m3  | ppm  | mg/m3      | ppm        |  |  |
| TLV-ACGIH | -       |        | 1000 |            |            |  |  |
| OSHA      | USA     | 1800   | 1000 |            |            |  |  |
| CAL/OSHA  | USA     | 1800   | 1000 |            |            |  |  |
| NIOSH     | USA     | 1800   | 1000 |            |            |  |  |

#### BUTANE

| DUTANE                |         |        |      |            |     |  |  |
|-----------------------|---------|--------|------|------------|-----|--|--|
| Threshold Limit Value |         |        |      |            |     |  |  |
| Туре                  | Country | TWA/8h |      | STEL/15min |     |  |  |
|                       |         | mg/m3  | ppm  | mg/m3      | ppm |  |  |
| TIVARRAM              |         |        | 1000 |            |     |  |  |
| TLV-ACGIH             | -       |        | 1000 |            |     |  |  |
| CAL/OSHA              | USA     | 1.9    | 800  |            |     |  |  |
|                       |         |        |      |            |     |  |  |
| NIOSH                 | USA     | 1900   | 800  |            |     |  |  |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

# HAND PROTECTION

None required.

# SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a NIOSH certified combined filter should be worn (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# 9. Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Not available
Colour Not available
Odour Not available
Odour threshold Not available
pH Not available

G007/USA - PTFE Grease

Not available

Not available

Revision nr. 1

Dated 4/26/2019

Printed on 4/26/2019

Page n. 6/13

Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point < 0 °C **Evaporation Rate** Not available Flammability of solids and gases Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available

Relative density a 20°C 0,69 ÷ 0,73 g/ml g/ml

Rolative drainsty

Solubility

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

Explosive properties

Oxidising properties

Not available

Not available

Not available

Not available

#### 9.2. Other information

Vapour pressure

Vapour density

Total solids (250°C / 482°F) 65,35 %

VOC: 34,66 % - 0,00 g/litre

# 10. Stability and reactivity

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

Avoid overheating.

# 10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

#### 10.6. Hazardous decomposition products

Information not available

# 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Revision nr. 1

Dated 4/26/2019

Printed on 4/26/2019

Page n. 7/13

# G007/USA - PTFE Grease

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

#### ACUTE TOXICITY

Hydrocarbons, C12-C15, n-alkanes, isoalkanes < 2% aromatics (LVP solv.)

LD50 (Oral) 10000 mg/kg bw rat

LD50 (Dermal) 2000 mg/kg bw rat

LC50 (Inhalation) 2480.15 mg/l/4h rat

# SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

## SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

#### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

# GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

# REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Revision nr. 1

Dated 4/26/2019

Printed on 4/26/2019

Page n. 8/13

# G007/USA - PTFE Grease

# STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Toxic for aspiration

# 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

Information not available

# 12.2. Persistence and degradability

BUTANE

Solubility in water 0.1 - 100 mg/l

Rapidly degradable

**PROPANE** 

Solubility in water 0.1 - 100 mg/l

Rapidly degradable

Hydrocarbons, C12-C15, n-alkanes, isoalkanes < 2% aromatics (LVP solv.) Rapidly degradable

# 12.3. Bioaccumulative potential

BUTANE

Partition coefficient: n-octanol/water 1.09

**PROPANE** 

Partition coefficient: n-octanol/water 1.09

12.4. Mobility in soil

Information not available

# 12.5. Results of PBT and vPvB assessment

# G007/USA - PTFE Grease

Revision nr. 1

Dated 4/26/2019

Printed on 4/26/2019

Page n. 9/13

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects

Information not available

# 13. Disposal considerations

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA).

Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Do not puncture or incinerate containers, even empty. Do not allow to enter waterways, wastewater, soil, storm drains or sewer systems. Dispose of in accordance with Federal, State/Provincial, and Local regulations regarding pollution.

# 14. Transport information

#### 14.1. UN number

ADR / RID, IMDG, 1950

IATA:

# 14.2. UN proper shipping name

ADR / RID: AEROSOLS IMDG: AEROSOLS

IATA: AEROSOLS, FLAMMABLE

#### 14.3. Transport hazard class(es)

ADR / RID: Class: 2 Label: 2.1

IMDG: Class: 2 Label: 2.1

IATA: Class: 2 Label: 2.1



#### 14.4. Packing group

ADR / RID, IMDG,

IATA:

### 14.5. Environmental hazards

ADR / RID: NO IMDG: NO

# G007/USA - PTFE Grease

Revision nr. 1 Dated 4/26/2019

Printed on 4/26/2019

Page n. 10/13

IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: --Limited

restriction Quantities: 1 code: (D)

Tunnel

Packaging

203

instructions:

Packaging

instructions: 203

Special Provision: -

IMDG: EMS: F-D, S-U Limited

Special Instructions:

Cargo:

Pass.:

Quantities: 1

Maximum quantity: 150

Кg

Maximum quantity: 75

Kg

A145, A167,

A802

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

# 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA:

IATA:

Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

Clean Water Act – Priority Pollutants:

No component(s) listed.

Clean Water Act -

Toxic Pollutants:

No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):

Revision nr. 1 Dated 4/26/2019

Printed on 4/26/2019

Page n. 11/13

# G007/USA - PTFE Grease

No component(s) listed. DEA List II Chemicals (Essential Chemicals): No component(s) listed. EPA List of Lists: 313 Category Code: No component(s) listed. EPCRA 302 EHS TPQ: No component(s) listed. EPCRA 304 EHS RQ: No component(s) listed. CERCLA RQ: No component(s) listed. EPCRA 313 TRI: No component(s) listed. RCRA Code: No component(s) listed. CAA 112 (r) RMP TQ: 74-98-6 PROPANE (Alkanes, Alkanes (aliphatic hrydrocarbon alkanes, C1-BUTANE (Alkanes) 106-97-8 State Regulations Massachussetts: PROPANE (Alkanes, Alkanes (aliphatic hrydrocarbon alkanes, C1-74-98-6 BUTANE (Alkanes) 106-97-8 Minnesota: 74-98-6 PROPANE (Alkanes, Alkanes (aliphatic hrydrocarbon alkanes, C1-

**BUTANE** (Alkanes)

106-97-8 New Jersey:

#### Da

Revision nr. 1
Dated 4/26/2019

Printed on 4/26/2019

Page n. 12/13

# G007/USA - PTFE Grease

74-98-6 PROPANE (Alkanes, Alkanes

(aliphatic hrydrocarbon alkanes, C1-C4))

106-97-8 BUTANE (Alkanes)

New York:

No component(s) listed.

Pennsylvania:

74-98-6 PROPANE (Alkanes, Alkanes

(aliphatic hrydrocarbon alkanes, C1-

C4))

BUTANE (Alkanes)

106-97-8 California:

106-97-8 BUTANE (Alkanes)

Proposition 65:

International Regulations

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Candadian WHMIS

Information not available

# 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H220 Extremely flammable gas.H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may burst if heated.H304 May be fatal if swallowed and enters airways.

### LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008

Revision nr. 1

Dated 4/26/2019

Printed on 4/26/2019

Page n. 13/13

# G007/USA - PTFE Grease

- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code) EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

#### GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

# Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.